# Various Reasons to choose Grandeur

800x 2400mm


FULLBODY TILES

# MODERN INCEPTION FOR UNIQUE PEOPLE





# PERFECT SIZE THAT MAXIMIZE YOUR ASPIRATION



FULLBODY 800x2400mm


# APPLICATIONS

The 800x2400mm fullbody tiles are one of the most versatile elements that can be incorporated in any exterior or interior space. Their application is not restricted to walls or floors as they can be installed in a variety of spaces.



## KITCHEN UNIT TOP & COUNTER TOP


One of the trendy applications of tiles has been the kitchen countertops. The 800x2400mm tiles give an effortless look to the kitchen with their luxurious charm.





### WORK DESK & RECEPTION DESK

The 800x2400mm tiles, with their stain resistance, water resistance, scratch resistance and other features become the best option for a work desk and reception desk as it requires surfaces that ages well.





#### STAIRCASE

The fullbody 800x2400mm tiles are perfectly suitable to be applied on the staircase as they are resistant to heavy wear and tear. Their durability avoids the edges of the stairs from getting cracked or chipped.





### TABLE TOP & FURNITURE

When designing an urban space, the 800x2400mm tiles become the perfect choice for the tabletops and furniture as they give it a clean and elegant look with comfortable functionality.





## WINDOW & DOOR SILLS


The 800x2400mm fullbody tiles become the sturdy support structures for window sills and door frames and add details and aesthetic value to the decor of the space.





#### HEAVY TRAFFIC AREA

The 800x2400mm tiles create a spacious look with their grand size and decreased grout lines in heavy traffic areas like airports, malls, etc. Their durability adds to the functionality of such areas.



# FEATURES



Easy To Clean

Porcelain tiles are easy to clean.



Stain Resistant

Porcelain tiles are waterproof, no liquid can damage the surface.



Scratch Resistant

Porcelain tiles do not splinter, break or get damaged.



Resistant To Acids

Porcelain tiles are resistant to acids found in food and cleaning products.




Waterproof

Porcelain tiles are easy to clean.



Frost Resistant

A porcelain tile floor will not change as a result of sharp temperature fluctuations result of extreme cold.



Resistant To Thermal Shock

A porcelain tile floor will not change as a result of sharp temperature fluctuations result of extreme heat.



Fire Resistant

Porcelain tiles are not flammable, reduce the spread of flames, do not burn, and do not emit toxic fumes.




Prevent Bacterial Growth

Porcelain tiles are completely hygienic and inhospitable for bacteria, mites, molds, and fungi.



COVE

# EDGE PROFILES



OGEE


OGEE BULLNOSE


DUPONT

SNP













# TERRAZOGREY

TYPOLOGY | THICKNESS | SIZE | FINISH | GLOSSY













# G R A F I T O C H I P S

TYPOLOGY THICKNESS SIZE SIZE FINISH GLOSSY











# FERRO CHIPS

TYPOLOGY

THICKNESS

SIZE


FINISH


FULLBODY

15mm


800x2400mm

GLOSSY





### PEARLGREY





#### ELEGANT WHITE

SIZE - 800x2400mm

TYPOLOGY - FULLBODY

THICKNESS - 15mm

FINISH - GLOSSY

AVAILABLE IN MATT FINISH AS 'VINTAGE WHITE'

#### ORRA GREY

SIZE - 800x2400mm

TYPOLOGY - FULLBODY

THICKNESS - 15mm

FINISH - GLOSSY

AVAILABLE IN MATT FINISH AS 'LARIX GREY'

#### GRAFITO BLACK

SIZE - 800x2400mm

TYPOLOGY - FULLBODY

THICKNESS - 15mm

FINISH - GLOSSY

AVAILABLE IN MATT FINISH AS 'LARIX BLACK'



#### CARBON BLACK

SIZE - 800x2400mm

TYPOLOGY - FULLBODY

THICKNESS - 15mm

FINISH - GLOSSY

# ORRAGREY

TYPOLOGY

THICKNESS 15mm

SIZE

FINISH

FULLBODY

800x2400mm

GLOSSY



#### CREMA IVORY

SIZE - 800x2400mm

TYPOLOGY - FULLBODY

THICKNESS - 15mm

FINISH - GLOSSY

AVAILABLE IN MATT FINISH AS 'CREMA SCURO'

#### FERRO BROWN

SIZE - 800x2400mm

TYPOLOGY - FULLBODY

THICKNESS - 15mm

FINISH - GLOSSY

AVAILABLE IN MATT FINISH AS 'MARRON BROWN'

#### **JAISALMER**

SIZE - 800x2400mm

TYPOLOGY - FULLBODY

THICKNESS - 15mm

FINISH - GLOSSY

New

#### STEEL GREY

SIZE - 800x2400mm

TYPOLOGY - FULLBODY

THICKNESS - 15mm

FINISH - GLOSSY

# JAISALMER


TYPOLOGY THICKNESS SIZE SIZE FINISH GLOSSY




# CARVING

# AN ESSENCE OF CONTEMPORARY EXPRESSION









# SPARKLE WHITE

TYPOLOGY | THICKNESS | SIZE | FINISH | COLOR BODY | 15mm | 800x2400mm | CARVIN














# SPARKLEJAISALMER


TYPOLOGY | THICKNESS | SIZE | FINISH | COLOR BODY | 15mm | 800x2400mm | CARVIN











# CRAFT HEXA GREY

TYPOLOGY

THICKNESS

SIZE


FINISH

COLOR BODY

15mm

800x2400mm

CARVING





#### NANO WHITE

SIZE - 800x2400mm

TYPOLOGY - GLAZED BODY

THICKNESS - 15mm

FINISH - GLOSSY



#### ZED BLACK

SIZE - 800x2400mm

TYPOLOGY - GLAZED BODY

THICKNESS - 15mm

FINISH - GLOSSY



# ZEDBLACK

TYPOLOGY
GLAZED BODY

THICKNESS
15mm

SIZE
800x2400mm

GLOSSY




# PRINTED ARLO SERIES





# A RENDITION OF HARMONY AND ELEGANCE




#### SPIDER STATUARIO

SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY



#### IMPERIAL WHITE

SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY







SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY



# ATLANTIC WHITE

SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY









# ATLANTIC WHITE

TYPOLOGY

THICKNESS

SIZE

FINISH

COLOR BODY

15mm

800x2400mm

GLOSSY





#### HELIX WHITE

SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY



#### WHITE TOPAZ

SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY









SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY



#### BIANCO LASA

SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY







# WHITETOPAZ

TYPOLOGY

THICKNESS

SIZE

FINISH

COLOR BODY

15mm

800x2400mm

GLOSSY





# EXOTIC WHITE

SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY



### MATRIX WHITE

SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY








SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm



FACE 1

# MATRIX WHITE

TYPOLOGY

THICKNESS

SIZE

FINISH


COLOR BODY

15mm

800x2400mm



# BLACK COLOR BODY





### SAHARA **BLACK**

SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY



### **NERO** MARQUINA

SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY









SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY



### SONATA **BLACK**

SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm







# MUSHROOMBLACK

TYPOLOGY | THICKNESS | SIZE | FINISH | GLOSSY





### THUNDER **BLACK**

SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY



### PORTORO GOLD

SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY







TIGER

SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY



### COSMOS BLACK

SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm





# PORTOROGOLD

TYPOLOGY

THICKNESS


SIZE

FINISH

COLOR BODY

15mm

800x2400mm






### UNIQUE **NEGRO**

SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY



### **OPAL BLUE**

SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY



### **EMRALD** QUARTZ

SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY





### **MONET BLACK**

SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm







# OPALBLUE

TYPOLOGY

THICKNESS

SIZE

FINISH

COLOR BODY

15mm

800x2400mm





### VOLGA BLUE

SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY



### **TAURAS BLACK**

SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY










SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY



### **OCEAN** BLUE

SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm







# TAURASBLACK

TYPOLOGY

THICKNESS

SIZE

FINISH

COLOR BODY

15mm

800x2400mm





### BLUE DIAMOND

SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY









### TOBACCO BROWN

SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm





# TOBACCO BROWN

TYPOLOGY

THICKNESS

SIZE

FINISH

COLOR BODY

15mm

800x2400mm



# TIMELESS DESIGN WITH A TRENDY FLAIR





### COSMIC BEIGE

SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY



### **BOTTOCHINO**

SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY



### BRECCIA MAX

SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY





### DYNA TURKISH

SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm



FACE 1






# DYNATURKISH

TYPOLOGY THICKNESS SIZE COLOR BODY 15mm

800x2400mm GLOSSY

FINISH





### ASPEN **BROWN**

SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm

FINISH - MATT



### **ASPEN PINE**

SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm

FINISH - MATT









SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm

FINISH - MATT





# ASPEN BROWN

TYPOLOGY

THICKNESS

SIZE

FINISH

COLOR BODY

15mm

800x2400mm

MATT



# RED COLOR BODY





### FIRE EMPRA

SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY



### RED GRANITE

SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm









### MARMO DE BERRY

SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY



### ROSSO RIVER

SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY



# TRAVERTINE RED

SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm





FACE 1



# PRINTED ADMIRA SERIES

# VERSATILE SURFACES WITH PERFECT CHROMATIC HARMONY





### CARPECIA WINE

SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY



### MANGO ONYX

SIZE - 800x2400mm

TYPOLOGY - COLOR BODY

THICKNESS - 15mm

FINISH - GLOSSY

FACE 1





### TECHNICAL SPECIFICATION OF FULLBODY VITRIFIED TILE

| TEST DISCRIPTION                             |                              |  |                             |  |  |  |  |
|--|------------------------------|--|-----------------------------|--|--|--|--|
| CHARACTERISTIC                               | TEST METHOD                  | STANDARD AS PER<br>ISO-13006/EN14411 GROUP | VALUE                       |  |  |  |  |
| Deviation in Length                          | IS-13630-1                   | ±0.50%                                     | ±0.10%                      |  |  |  |  |
| Deviation in Width                           | IS-13630-1                   | ±0,50%                                     | ±0.10%                      |  |  |  |  |
| Deviation in Thickness                       | IS-13630-1                   | ±5.00%                                     | ±5.00%                      |  |  |  |  |
| Straightness of Sides                        | IS-13630-1                   | ±0.50%                                     | ±0.10%                      |  |  |  |  |
| Rectangularity                               | IS-13630-1                   | ±0.60%                                     | ±0.15%                      |  |  |  |  |
| Surface Flatness                             | IS-13630-1                   | ±0.50%                                     | ±0.20%                      |  |  |  |  |
| Surface Quality                              | IS-13630-1                   | Min. 95%                                   | Min. 95%                    |  |  |  |  |
| PHYSICAL PROPERTIES                          |                              |  |                             |  |  |  |  |
| Water Absorption                             | IS-13630-2                   | ≤0.50%                                     | ≤0.50%                      |  |  |  |  |
| Modulus of Rupture(N/mm2)                    | IS-13630-6                   | Min. 35N/mm²                               | Min. 37N/mm²                |  |  |  |  |
| Breaking Strength(N)                         | IS-13630-6                   | ≥7.5mm-1300N                               | ≥7.5mm-1400N                |  |  |  |  |
| Moisture Expansion(mm/m)                     | IS-13630-3                   | 0.06 Max                                   | 0.01 Max                    |  |  |  |  |
| Scratch Hardness of Surface                  | IS-13630-13                  | Min. 4                                     | Min. 4                      |  |  |  |  |
| Resistance of Surface Abrasion(Glazed Tiles) | IS-13630-11                  | As pr Mfg.                                 | Class II Min.               |  |  |  |  |
| Coefficient of Linear Thermal Expansion      | IS-13630-4                   | As pr Mfg.                                 | 6.5x10 <sup>-0.6</sup> Max. |  |  |  |  |
| Thermal Shock Resistance                     | IS-13630-5                   | 10 Cycles Min.                             | 10 Cycles Min.              |  |  |  |  |
| Crazing Resistance                           | IS-13630-9                   | As pr Mfg.                                 | 5 Cycles at 7.5Bar Pressure |  |  |  |  |
| Impact Resistance-Coefficient of Restitution | IS-13630-14                  | As pr Mfg.                                 | 0.55 Min                    |  |  |  |  |
| Frost Resistance                             | IS-13630-10                  | As pr Mfg.                                 | No Damage                   |  |  |  |  |
| Bulk Density (g/cc)                          | IS-13630-2                   | >2.0 gm/cc                                 | >2.0 gm/cc                  |  |  |  |  |
| '  | CHEMICAL PROPER              | TIES                                       | '                           |  |  |  |  |
| Resistance of Staining                       | IS-13630-8                   | Class I Min.                               | Class II                    |  |  |  |  |
| Resistance of Household Chemicals            | IS-13630-8                   | Class AA Min.                              | Class AA                    |  |  |  |  |
| Resistance to Acids & Alkalis                | IS-13630-8                   | As pr Mfg.                                 | Min. Class A                |  |  |  |  |
| Slip Resistance                              | 150-13006/EN1444 Group B   A | As pr Mfg.                                 | As pr Mfg.                  |  |  |  |  |

### PACKING DETAIL

| No. | Size       | Thickness<br>(approx.) | Pieces/Box | Area/Box      | Wt./Box<br>(approx.) |
|-----|------------|------------------------|------------|---------------|----------------------|
| 01  | 800x2400mm | 15mm                   | 1 pcs.     | 1.92 sq. mtr. | 66 Kgs.              |