

Statement
LUXURY

— 600X1200MM —

Carving
COLLECTION

Carving

COLLECTION

600X1200MM

— GVT & PGVT —

Experience the exquisite CARVING COLLECTION, featuring one-of-a-kind designs where intricate veins are delicately carved into each tile, adding a touch of opulence to your space. What enhances the allure of this carving effect is its exceptional resistance to stains and scratches, making it not only visually stunning but also easy to maintain.




ALDER GOLD



Finish
MATT

Size
**600 X
1200 mm**



Random : 4



**CARVING
SERIES**

ALEXA AZURE



Finish
MATT

Size
**600 X
1200 mm**



Random : 5



ENDLESS
CARVING
SERIES

ASEN ROMA



Finish
MATT

Size
**600 X
1200 mm**





Random : 5



**CARVING
SERIES**

ASTORIA WHITE

Size : 600x1200mm
Finish : Matt (Carving)
Random : 05



LIQUID REPELLENT



STAIN RESISTANT



SCRATCH RESISTANT



FIRE RESISTANT



RESISTANT TO UV RAYS




IMPACT RESISTANT



FROST RESISTANT




ASTRO WHITE



Finish
MATT

Size
**600 X
1200 mm**



Random : 5




ENDLESS
CARVING
SERIES

ATTERA CREMA

Size : 600x1200mm
Finish : Matt (Carving)
Random : 05



- LIQUID REPELLENT
- STAIN RESISTANT
- SCRATCH RESISTANT
- FIRE RESISTANT
- RESISTANT TO UV RAYS
- IMPACT RESISTANT
- FROST RESISTANT



AZERO BEIGE



Finish
MATT

Size
**600 X
1200 mm**



Random : 4



**CARVING
SERIES**

BRAZILIAN VERDE

Size : 600x1200mm
Finish : Matt (Carving)
Random : 05



- LIQUID REPELLENT
- STAIN RESISTANT
- SCRATCH RESISTANT
- FIRE RESISTANT
- RESISTANT TO UV RAYS
- IMPACT RESISTANT
- FROST RESISTANT



BRUSHED GOLD



Finish
MATT

Size
**600 X
1200 mm**





Random : 4



**CARVING
SERIES**

CALACATTA BIANCO

Size : 600x1200mm
Finish : Matt (Carving)
Random : 05



CANNES WHITE

Size : 600x1200mm
Finish : Matt (Carving)
Random : 05



LIQUID REPELLENT



STAIN RESISTANT



SCRATCH RESISTANT



FIRE RESISTANT



RESISTANT TO UV RAYS



IMPACT RESISTANT





FROST RESISTANT



CANVA BIANCO

Size : 600x1200mm
Finish : Matt (Carving)
Random : 05



CAPRINA WHITE



Finish
MATT

Size
**600 X
1200 mm**




Random : 4



ENDLESS
CARVING
SERIES

CEDARWOOD NATURAL

Size : 600x1200mm
Finish : Matt (Carving)
Random : 05



LIQUID REPELLENT



STAIN RESISTANT



SCRATCH RESISTANT



FIRE RESISTANT



RESISTANT TO UV RAYS



IMPACT RESISTANT



FROST RESISTANT



CIPOLINO BEIGE



Finish
MATT

Size
**600 X
1200 mm**



Random : 3



**CARVING
SERIES**

CIPOLINO CREMA



Finish
MATT

Size
**600 X
1200 mm**



Random : 3



**CARVING
SERIES**

COSMIC CREMA



Finish
MATT

Size
**600 X
1200 mm**



Random : 4



**CARVING
SERIES**

COSMIC GREY



Finish
MATT

Size
**600 X
1200 mm**



Random : 4



**CARVING
SERIES**

COSTA GOLD



Finish
MATT

Size
**600 X
1200 mm**



Random : 2



ENDLESS
CARVING
SERIES

DAZZLE CREMA



Finish
MATT

Size
**600 X
1200 mm**




Random : 5



**CARVING
SERIES**

DUKE BEIGE

Size : 600x1200mm
Finish : Matt (Carving)
Random : 05



-  LIQUID REPELLENT
-  STAIN RESISTANT
-  SCRATCH RESISTANT
-  FIRE RESISTANT
-  RESISTANT TO UV RAYS
-  IMPACT RESISTANT
-  FROST RESISTANT




ENZO GRIS

Size : 600x1200mm
Finish : Matt (Carving)
Random : 04






- LIQUID REPELLENT
- STAIN RESISTANT
- SCRATCH RESISTANT
- FIRE RESISTANT
- RESISTANT TO UV RAYS
- IMPACT RESISTANT
- FROST RESISTANT



ESPANIOL CREMA

Size : 600x1200mm
Finish : Matt (Carving)
Random : 04



FABIO CREMA

Size : 600x1200mm
Finish : Matt (Carving)
Random : 05









- LIQUID REPELLENT
- STAIN RESISTANT
- SCRATCH RESISTANT
- FIRE RESISTANT
- RESISTANT TO UV RAYS
- IMPACT RESISTANT
- FROST RESISTANT



FABIO GRIS

Size : 600x1200mm
Finish : Matt (Carving)
Random : 05



FLUID SILVER



Finish
MATT

Size
**600 X
1200 mm**



Random : 5



ENDLESS
CARVING
SERIES

FORESTWOOD WENGUE

Size : 600x1200mm
Finish : Matt (Carving)
Random : 05



-  LIQUID REPELLENT
-  STAIN RESISTANT
-  SCRATCH RESISTANT
-  FIRE RESISTANT
-  RESISTANT TO UV RAYS
-  IMPACT RESISTANT
-  FROST RESISTANT



FRIDO BEIGE

Size : 600x1200mm
Finish : Matt (Carving)
Random : 05







FRIDO GREY

Size : 600x1200mm
Finish : Matt (Carving)
Random : 05




GOTHIC BROWN

Size : 600x1200mm
Finish : Matt (Carving)
Random : 05



GOTHIC GRAFITO

Size : 600x1200mm
Finish : Matt (Carving)
Random : 05



LIQUID REPELLENT



STAIN RESISTANT



SCRATCH RESISTANT



FIRE RESISTANT



RESISTANT TO UV RAYS



IMPACT RESISTANT



FROST RESISTANT




LAGOS CREMA

Size : 600x1200mm
Finish : Matt (Carving)
Random : 05






- LIQUID REPELLENT
- STAIN RESISTANT
- SCRATCH RESISTANT
- FIRE RESISTANT
- RESISTANT TO UV RAYS
- IMPACT RESISTANT
- FROST RESISTANT



LAGOS GREY

Size : 600x1200mm
Finish : Matt (Carving)
Random : 05




LAGOS MUDDY

Size : 600x1200mm
Finish : Matt (Carving)
Random : 05



-  LIQUID REPELLENT
-  STAIN RESISTANT
-  SCRATCH RESISTANT
-  FIRE RESISTANT
-  RESISTANT TO UV RAYS
-  IMPACT RESISTANT
-  FROST RESISTANT




LAPIA WHITE



Finish
MATT

Size
**600 X
1200 mm**




Random : 4




**CARVING
SERIES**

LIGHTNING ALMOND



Finish
MATT

Size
**600 X
1200 mm**



Random : 5



LIQUID
REPELLENT

STAIN
RESISTANT

SCRATCH
RESISTANT

FIRE
RESISTANT

RESISTANT
TO UV RAYS


IMPACT
RESISTANT

FROST
RESISTANT

**CARVING
SERIES**

LIGHTNING CREMA

Size : 600x1200mm
Finish : Matt (Carving)
Random : 05






-  LIQUID REPELLENT
-  STAIN RESISTANT
-  SCRATCH RESISTANT
-  FIRE RESISTANT
-  RESISTANT TO UV RAYS
-  IMPACT RESISTANT
-  FROST RESISTANT



LUXOR CREMA

Size : 600x1200mm
Finish : Matt (Carving)
Random : 05



LIQUID REPELLENT



STAIN RESISTANT



SCRATCH RESISTANT



FIRE RESISTANT



RESISTANT TO UV RAYS



IMPACT RESISTANT



FROST RESISTANT



MAIZA BEIGE



Finish
MATT

Size
**600 X
1200 mm**



Random : 4




**CARVING
SERIES**

MANDALA BEIGE



Finish
MATT

Size
**600 X
1200 mm**



Random : 4



**CARVING
SERIES**

MARMI NERO



Finish
MATT

Size
**600 X
1200 mm**



Random : 4



**CARVING
SERIES**

MOZERO ART



Finish
MATT

Size
**600 X
1200 mm**



Random : 4



**CARVING
SERIES**

OPERA



Finish
MATT

Size
**600 X
1200 mm**



Random : 4



**CARVING
SERIES**

PANDORA BEIGE



Finish
MATT

Size
**600 X
1200 mm**



Random : 4




**CARVING
SERIES**

PROTO SATVARIO



Finish
MATT

Size
**600 X
1200 mm**




Random : 4



**CARVING
SERIES**

RIVALTA GRIS

Size : 600x1200mm
Finish : Matt (Carving)
Random : 03



RUBIO WHITE



Finish
MATT

Size
**600 X
1200 mm**




Random : 5



**CARVING
SERIES**

STONEART GRAFITO

Size : 600x1200mm
Finish : Matt (Carving)
Random : 04



LIQUID REPELLENT



STAIN RESISTANT



SCRATCH RESISTANT



FIRE RESISTANT








RESISTANT TO UV RAYS



IMPACT RESISTANT



FROST RESISTANT



TEAKWOOD BROWN

Size : 600x1200mm
Finish : Matt (Carving)
Random : 04




TERRASTONE

Size : 600x1200mm
Finish : Matt (Carving)
Random : 04





- LIQUID REPELLENT
- STAIN RESISTANT
- SCRATCH RESISTANT
- FIRE RESISTANT
- RESISTANT TO UV RAYS
- IMPACT RESISTANT
- FROST RESISTANT






TERRAZO AZUL

Size : 600x1200mm
Finish : Matt (Carving)
Random : 03





TERRAZO BIANCO

Size : 600x1200mm
Finish : Matt (Carving)
Random : 03





TERRAZO BLUE

Size : 600x1200mm
Finish : Matt (Carving)
Random : 03



TERRAZO BROWN

Size : 600x1200mm
Finish : Matt (Carving)
Random : 03




-  LIQUID REPELLENT
-  STAIN RESISTANT
-  SCRATCH RESISTANT
-  FIRE RESISTANT
-  RESISTANT TO UV RAYS
-  IMPACT RESISTANT
-  FROST RESISTANT




TERRAZO CREMA

Size : 600x1200mm
Finish : Matt (Carving)
Random : 03




-  LIQUID REPELLENT
-  STAIN RESISTANT
-  SCRATCH RESISTANT
-  FIRE RESISTANT
-  RESISTANT TO UV RAYS
-  IMPACT RESISTANT
-  FROST RESISTANT




TERRAZO GREY

Size : 600x1200mm
Finish : Matt (Carving)
Random : 03



- LIQUID REPELLENT
- STAIN RESISTANT
- SCRATCH RESISTANT
- FIRE RESISTANT
- RESISTANT TO UV RAYS
- IMPACT RESISTANT
- FROST RESISTANT




TRANS CREMA

Size : 600x1200mm
Finish : Matt (Carving)
Random : 03




-  LIQUID REPELLENT
-  STAIN RESISTANT
-  SCRATCH RESISTANT
-  FIRE RESISTANT
-  RESISTANT TO UV RAYS
-  IMPACT RESISTANT
-  FROST RESISTANT



VITA CREMA

Size : 600x1200mm
Finish : Matt (Carving)
Random : 05



-  LIQUID REPELLENT
-  STAIN RESISTANT
-  SCRATCH RESISTANT
-  FIRE RESISTANT
-  RESISTANT TO UV RAYS
-  IMPACT RESISTANT
-  FROST RESISTANT



VITA GRIS

Size : 600x1200mm
Finish : Matt (Carving)
Random : 05



GLAZED VITRIFIED TILES

600x1200 mm

TECHNICAL SPECIFICATION FOR 600x1200MM GVT TILES				
Characteristics	Requirement as per IS 15622 : 2017 < E ≤ 0.08 Group Bla	Requirement as per ISO 13006 ≤ 0.5% Group Bla	Our Values	Test Method
A) Dimension & Surface Quality				
I) Length & Width	± 0.1%	± 0.3%	± 0.1%	IS 13630 Part 1/ ISO 10545-2
ii) Thickness	± 5.0%	± 5.0%	± 4.0%	
iii) Straightness of Side	± 0.1%	± 0.3%	± 0.1%	
iv) Rectengularity	± 0.1%	± 0.3%	± 0.1%	
v) Surface Flatness				
a) Center curvature (%) (max.Deviation)	± 0.5%	± 0.4%	± 0.2 %	
b) Edge curvature (%) (max.Deviation)	± 0.5%	± 0.4%	± 0.2 %	
c) Corner warpage (%) (max.Deviation)	± 0.5%	± 0.4%	± 0.2 %	
vi) Surface Quality	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects	
B) Physical Properties				
I) Water Absorption	Av E ≤ 0.08 %, Individual 0.1 max	Av ≤ 0.5 %, Individual 0.6% max	Avg. E≤ 0.08 %	IS 13630 Part 2/ ISO 10545-3
ii) Modulus of Rupture [N/mm²]	Av 35, Individual 32 min	Av 35, Individual 32 min	Avg, 35 Ind 32	IS 13630 Part 6/ISO 10545-4
iii) Breaking Strength in N	Min. 1300	Min. 1300	Min. 1300	
iv) Moisture Expansion in mm/m	0.02	Test Method Available	0.02	IS 13630 Part 3/ISO-10545-10
v) Scratch Hardness of surface (Mohs)	Min 5	N/A	Min.5 (for VC & RT), Min.3 (for Polished)	IS 13630 Part 13
vi) Resistance to Abrasion of glazed tiles(Class I to V)	Min II	Abrasion Class & Cycle passed	Class-V (for VC & RT), Class-III (for Polished)	IS 13630 Part 11 /ISO 10545-7
vii) Coefficient of linear thermal expansion from embiant temperature to 100° C	6 X 10 ⁻⁶ K ⁻¹ Max	Test Method Available	Max 6 X 10 ⁻⁶ K ⁻¹ max	IS 13630 Part 4/ ISO 10545-8
viii) Thermal Shock Resistance	10 cycle min	Test Method Available	10 cycle passed	IS 13630 Part 5/ISO-10545-9
ix) Crazing Resistance	4 cycle @ 7.5bar min	Required	4 cycle passed	IS 13630 Part 9/ISO 10545-11
x) Impact Resistance as Co-efficient of Re stitution	0.55 min	Required	Min 0.55	ISO 10545-5
xi) Frost Resistance	Required	Required	100 Cycle Passed	IS 13630 Part 10/ISO 10545-12
C) Chemical Resistance (glazed Tiles)				
I) Stain Resistance	Min Class 1	Min Class 3	Min Class-1	IS 13630 Part 8 &ISO 10545-14
ii) Resistance to household chemicals	Min Class AA	Min Class GB	Min Class AA	IS 13630 Part 8/ ISO 10545-13
iii) Resistance to acids and alkalis (with exception of hydrofluoric acid and its compounds)	Required if agreed	Declared Value ¹	Min Class AA	

PACKING DETAIL FOR 600x1200MM GVT TILES				
Nominal Size	Thickness(mm)	Average weight per carton (Kgs)	No. of tiles per carton	Coverage area per carton
600x1200mm	9.0 (Approx)	28.00 (Approx)	2	1.44sq.mtr./15.50sq.ft.

The reproduction of tiles in this catalogue is restricted to four color printing only and tiles are not in relative sizes, therefore customers are advised to see the physical sample before placing the order. " Technical Specification" for Arkstone wall & floor tiles are applicable only for premium quality tiles. Please inspect all tiles prior to installation. Company will not entertain complaints once tiles are laid/fixed. Complaints will not be entertained for Borders, Highlighters & Motifs.

THANK YOU