

Statement  
LUXURY

— 600X1200MM —

*Endless*  
collection

# Endless

collection

## — GVT & PGVT —

Our ENDLESS COLLECTION is made for you to experience its captivating allure, where the patterns seamlessly flow without borders, transcending the confines of your space. Regardless of the chosen design, immerse yourself in the enchanting harmony that knows no bounds.




# ANRIK GRAFITO

Size : 600x1200mm

Finish : Glossy

Random : 05







# ATLANTIC GRIS

Size : 600x1200mm



Finish : Glossy

Random : 05



# BISSEL BLANCO

Size : 600x1200mm  
Finish : Glossy  
Random : 05



- LIQUID REPELLENT
- STAIN RESISTANT
- SCRATCH RESISTANT
- FIRE RESISTANT
- RESISTANT TO UV RAYS
- IMPACT RESISTANT
- FROST RESISTANT




# BOLONIA CREMA

Size : 600x1200mm

Finish : Glossy

Random : 05



- LIQUID REPELLENT
- STAIN RESISTANT
- SCRATCH RESISTANT
- FIRE RESISTANT
- RESISTANT TO UV RAYS
- IMPACT RESISTANT
- FROST RESISTANT



# BOLONIA GRIS

Size : 600x1200mm  
Finish : Glossy  
Random : 05



- LIQUID REPELLENT
- STAIN RESISTANT
- SCRATCH RESISTANT
- FIRE RESISTANT
- RESISTANT TO UV RAYS
- IMPACT RESISTANT
- FROST RESISTANT




# BRILLO AZURE

Size : 600x1200mm

Finish : Glossy

Random : 05



LIQUID REPELLENT



STAIN RESISTANT



SCRATCH RESISTANT



FIRE RESISTANT







RESISTANT TO UV RAYS



IMPACT RESISTANT



FROST RESISTANT





# CALACATTA GOLD



Finish  
**GLOSSY**

Size  
**600 X  
1200 mm**



Random : 2



**ENDLESS  
SERIES**

# CELIO



Finish  
**GLOSSY**

Size  
**600 X  
1200 mm**



Random : 4






**ENDLESS  
SERIES**

# CHICAGO CREMA

Size : 600x1200mm

Finish : Glossy

Random : 05







# COSMIC WHITE

Size : 600x1200mm

Finish : Glossy

Random : 05




# DENZ WHITE



Finish  
**GLOSSY**

Size  
**600 X  
1200 mm**



Random : 1






**ENDLESS  
SERIES**

# ELECTRIC CREMA

Size : 600x1200mm



Finish : Glossy

Random : 05



# ELEGANT BEIGE

Size : 600x1200mm  
Finish : Glossy  
Random : 05








# ELEGANT GRIS

Size : 600x1200mm

Finish : Glossy

Random : 05





# END STATURIO CLASSIC



Finish  
**GLOSSY**

Size  
**600 X  
1200 mm**



Random : 4



**ENDLESS  
SERIES**

# EVOQUE GRIS

Size : 600x1200mm

Finish : Glossy

Random : 05



LIQUID  
REPELLENT



STAIN  
RESISTANT



SCRATCH  
RESISTANT



FIRE  
RESISTANT







RESISTANT  
TO UV RAYS



IMPACT  
RESISTANT



FROST  
RESISTANT






# FENICE GREY

Size : 600x1200mm

Finish : Glossy

Random : 05




# GREENLAND GIALO

Size : 600x1200mm

Finish : Glossy

Random : 05



LIQUID REPELLENT



STAIN RESISTANT



SCRATCH RESISTANT



FIRE RESISTANT



RESISTANT TO UV RAYS



IMPACT RESISTANT



FROST RESISTANT



# GREENLAND SILVER



Finish  
**GLOSSY**

Size  
**600 X  
1200 mm**



Random : 5



**ENDLESS  
SERIES**

# HABANA CHOCO



Finish  
**GLOSSY**

Size  
**600 X  
1200 mm**



Random : 4



**ENDLESS  
SERIES**

# HABANA WHITE



Finish  
**GLOSSY**

Size  
**600 X  
1200 mm**



Random : 4



LIQUID  
REPELLENT

STAIN  
RESISTANT

SCRATCH  
RESISTANT

FIRE  
RESISTANT

RESISTANT  
TO UV RAYS

IMPACT  
RESISTANT

FROST  
RESISTANT




**ENDLESS  
SERIES**

# HARLEM GRIS

Size : 600x1200mm

Finish : Glossy

Random : 05





# HARLEM RED

Size : 600x1200mm

Finish : Glossy

Random : 05







# INFINITE BLANCO

Size : 600x1200mm

Finish : Glossy

Random : 05



LIQUID REPELLENT



STAIN RESISTANT



SCRATCH RESISTANT



FIRE RESISTANT



RESISTANT TO UV RAYS



IMPACT RESISTANT



FROST RESISTANT








# IRIS BLUE

Size : 600x1200mm

Finish : Glossy

Random : 05





# KODIAQ BIANCO

Size : 600x1200mm

Finish : Glossy

Random : 05



# LEO ONYX



Finish  
**GLOSSY**

Size  
**600 X  
1200 mm**



Random : 4




**ENDLESS  
SERIES**

# LINUX WHITE

Size : 600x1200mm

Finish : Glossy

Random : 06



LIQUID REPELLENT



STAIN RESISTANT



SCRATCH RESISTANT



FIRE RESISTANT





RESISTANT TO UV RAYS



IMPACT RESISTANT



FROST RESISTANT








# LISTON CREMA

Size : 600x1200mm

Finish : Glossy

Random : 05







# LISTON GRIS

Size : 600x1200mm

Finish : Glossy

Random : 05







# MINTO AZUL

Size : 600x1200mm

Finish : Glossy

Random : 05



LIQUID REPELLENT



STAIN RESISTANT



SCRATCH RESISTANT



FIRE RESISTANT



RESISTANT TO UV RAYS




IMPACT RESISTANT



FROST RESISTANT




# MONOLIGHT BLUE



Finish  
**GLOSSY**

Size  
**600 X  
1200 mm**



Random : 3




**ENDLESS  
SERIES**

# OCEAN GRIS

Size : 600x1200mm

Finish : Glossy

Random : 05



LIQUID REPELLENT



STAIN RESISTANT



SCRATCH RESISTANT



FIRE RESISTANT








RESISTANT TO UV RAYS



IMPACT RESISTANT



FROST RESISTANT




# OCEAN MARINE

Size : 600x1200mm

Finish : Glossy

Random : 05



LIQUID REPELLENT



STAIN RESISTANT



SCRATCH RESISTANT



FIRE RESISTANT








RESISTANT TO UV RAYS



IMPACT RESISTANT



FROST RESISTANT







# OSCAR WHITE

Size : 600x1200mm

Finish : Glossy

Random : 05



LIQUID REPELLENT



STAIN RESISTANT



SCRATCH RESISTANT



FIRE RESISTANT



RESISTANT TO UV RAYS



IMPACT RESISTANT



FROST RESISTANT



# SKYROS BEIGE

Size : 600x1200mm

Finish : Glossy

Random : 05



LIQUID REPELLENT



STAIN RESISTANT



SCRATCH RESISTANT



FIRE RESISTANT




RESISTANT TO UV RAYS



IMPACT RESISTANT



FROST RESISTANT




# SKYROS GRIS


Size : 600x1200mm

Finish : Glossy

Random : 05



# STATURIO CLASSIC



Finish  
**GLOSSY**

Size  
**600 X  
1200 mm**



Random : 4

[www.eddicaceramics.com](http://www.eddicaceramics.com)



**ENDLESS  
SERIES**






# TEXAS BIANCO

Size : 600x1200mm

Finish : Glossy

Random : 05



LIQUID REPELLENT



STAIN RESISTANT



SCRATCH RESISTANT



FIRE RESISTANT



RESISTANT TO UV RAYS



IMPACT RESISTANT



FROST RESISTANT



# TOKYO GREY



Finish  
**GLOSSY**

Size  
**600 X  
1200 mm**



Random : 3



**ENDLESS  
SERIES**

# TOKIO LIGHT



Finish  
**GLOSSY**

Size  
**600 X  
1200 mm**



Random : 3





**ENDLESS  
SERIES**

# TRENZA MULTY

Size : 600x1200mm

Finish : Glossy

Random : 05



LIQUID  
REPELLENT



STAIN  
RESISTANT



SCRATCH  
RESISTANT



FIRE  
RESISTANT



RESISTANT  
TO UV RAYS



IMPACT  
RESISTANT



FROST  
RESISTANT



# VICTORIA CREMA

Size : 600x1200mm

Finish : Glossy

Random : 05



# GLAZED VITRIFIED TILES

## 600x1200 mm

TECHNICAL SPECIFICATION FOR 600x1200MM GVT TILES				
Characteristics	Requirement as per IS 15622 : 2017 < E ≤ 0.08 Group Bla	Requirement as per ISO 13006 ≤ 0.5% Group Bla	Our Values	Test Method
<b>A) Dimension &amp; Surface Quality</b>				
<b>I) Length &amp; Width</b>	± 0.1%	± 0.3%	± 0.1%	IS 13630 Part 1/ ISO 10545-2
<b>ii) Thickness</b>	± 5.0%	± 5.0%	± 4.0%	
<b>iii) Straightness of Side</b>	± 0.1%	± 0.3%	± 0.1%	
<b>iv) Rectengularity</b>	± 0.1%	± 0.3%	± 0.1%	
<b>v) Surface Flatness</b>				
<b>a) Center curvature (%) ( max.Deviation)</b>	± 0.5%	± 0.4%	± 0.2 %	
<b>b) Edge curvature (%) ( max.Deviation)</b>	± 0.5%	± 0.4%	± 0.2 %	
<b>c) Corner warpage (%) ( max.Deviation)</b>	± 0.5%	± 0.4%	± 0.2 %	
<b>vi) Surface Quality</b>	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects	
<b>B) Physical Properties</b>				
<b>I) Water Absorption</b>	Av E ≤ 0.08 %, Individual 0.1 max	Av ≤ 0.5 %, Individual 0.6% max	Avg. E≤ 0.08 %	IS 13630 Part 2/ ISO 10545-3
<b>ii) Modulus of Rupture [N/mm<sup>2</sup>]</b>	Av 35, Individual 32 min	Av 35, Individual 32 min	Avg, 35 Ind 32	IS 13630 Part 6/ISO 10545-4
<b>iii) Breaking Strength in N</b>	Min. 1300	Min. 1300	Min. 1300	
<b>iv) Moisture Expansion in mm/m</b>	0.02	Test Method Available	0.02	IS 13630 Part 3/ISO-10545-10
<b>v) Scratch Hardness of surface (Mohs)</b>	Min 5	N/A	Min.5 (for VC & RT), Min.3 (for Polished)	IS 13630 Part 13
<b>vi) Resistance to Abrasion of glazed tiles( Class I to V )</b>	Min II	Abrasion Class & Cycle passed	Class-V (for VC & RT), Class-III (for Polished)	IS 13630 Part 11 /ISO 10545-7
<b>vii) Coefficient of linear thermal expansion from embiant temperature to 100° C</b>	6 X 10 <sup>-6</sup> K <sup>-1</sup> Max	Test Method Available	Max 6 X 10 <sup>-6</sup> K <sup>-1</sup> max	IS 13630 Part 4/ ISO 10545-8
<b>viii) Thermal Shock Resistance</b>	10 cycle min	Test Method Available	10 cycle passed	IS 13630 Part 5/ISO-10545-9
<b>ix) Crazing Resistance</b>	4 cycle @ 7.5bar min	Required	4 cycle passed	IS 13630 Part 9/ISO 10545-11
<b>x) Impact Resistance as Co-efficient of Re stitution</b>	0.55 min	Required	Min 0.55	ISO 10545-5
<b>xi) Frost Resistance</b>	Required	Required	100 Cycle Passed	IS 13630 Part 10/ISO 10545-12
<b>C) Chemical Resistance (glazed Tiles)</b>				
<b>I) Stain Resistance</b>	Min Class 1	Min Class 3	Min Class-1	IS 13630 Part 8 &ISO 10545-14
<b>ii) Resistance to household chemicals</b>	Min Class AA	Min Class GB	Min Class AA	IS 13630 Part 8/ ISO 10545-13
<b>iii) Resistance to acids and alkalis (with exception of hydrofluoric acid and its compounds)</b>	Required if agreed	Declared Value <sup>1</sup>	Min Class AA	

PACKING DETAIL FOR 600x1200MM GVT TILES				
Nominal Size	Thickness(mm)	Average weight per carton (Kgs)	No. of tiles per carton	Coverage area per carton
600x1200mm	9.0 (Approx)	28.00 (Approx)	2	1.44sq.mtr./15.50sq.ft.

The reproduction of tiles in this catalogue is restricted to four color printing only and tiles are not in relative sizes, therefore customers are advised to see the physical sample before placing the order. " Technical Specification" for Arkstone wall & floor tiles are applicable only for premium quality tiles. Please inspect all tiles prior to installation. Company will not entertain complaints once tiles are laid/fixed. Complaints will not be entertained for Borders, Highlighters & Motifs.

**THANK YOU**