

Statement
LUXURY

— 600X1200MM —

MATT
COLLECTION

MATT

COLLECTION

600X1200MM

— GVT & PGVT —

Introducing our MATT COLLECTION, meticulously crafted to absorb light and produce a non-reflective surface, resulting in a gentle and modern aesthetic. Perfect for individuals seeking a tranquil environment, this collection creates an ideal space to unwind and find serenity.



AFRICAN WOOD NATURAL

Size : 600x1200mm

Finish : Matt

Random : 05



LIQUID REPELLENT



STAIN RESISTANT



SCRATCH RESISTANT



FIRE RESISTANT




RESISTANT TO UV RAYS



IMPACT RESISTANT



FROST RESISTANT










ALICE BEIGE


Size : 600x1200mm

Finish : Matt

Random : 03



ALICE BROWN






ALPINE BIANCO

Size : 600x1200mm

Finish : Matt

Random : 05



LIQUID REPELLENT



STAIN RESISTANT



SCRATCH RESISTANT



FIRE RESISTANT



RESISTANT TO UV RAYS



IMPACT RESISTANT



FROST RESISTANT

ALPINE GRIS



LIQUID REPELLENT



STAIN RESISTANT



SCRATCH RESISTANT



FIRE RESISTANT



RESISTANT TO UV RAYS



IMPACT RESISTANT



FROST RESISTANT



ALPINE CREMA

Size : 600x1200mm

Finish : Matt

Random : 05



LIQUID REPELLENT



STAIN RESISTANT



SCRATCH RESISTANT



FIRE RESISTANT








RESISTANT TO UV RAYS



IMPACT RESISTANT



FROST RESISTANT



ALPINE BROWN



LIQUID REPELLENT



STAIN RESISTANT



SCRATCH RESISTANT



FIRE RESISTANT





RESISTANT TO UV RAYS



IMPACT RESISTANT



FROST RESISTANT



AMAZON WOOD



Finish
MATT

Size
**600 X
1200 mm**



Random : 5




MATT
SERIES

ANCONA BROWN

Size : 600x1200mm

Finish : Matt

Random : 05






ANCONA CREMA


Size : 600x1200mm

Finish : Matt

Random : 05



ANCONA SAND





ANCONA GREY

Size : 600x1200mm

Finish : Matt

Random : 05






ANCONA SILVER

Size : 600x1200mm

Finish : Matt

Random : 05



LIQUID REPELLENT



STAIN RESISTANT



SCRATCH RESISTANT



FIRE RESISTANT



RESISTANT TO UV RAYS




IMPACT RESISTANT



FROST RESISTANT

ANCONA GRAFITO



LIQUID REPELLENT



STAIN RESISTANT



SCRATCH RESISTANT



FIRE RESISTANT



RESISTANT TO UV RAYS



IMPACT RESISTANT





FROST RESISTANT

BONZE BOTTO CREMA

Size : 600x1200mm

Finish : Matt

Random : 05





BONZE BOTTO GRAY

Size : 600x1200mm

Finish : Matt

Random : 05



CHESTNUT BROWN

Size : 600x1200mm

Finish : Matt

Random : 05







CITADEL BLANCO

Size : 600x1200mm

Finish : Matt

Random : 03






ENCHANTING BIANCO

Size : 600x1200mm

Finish : Matt

Random : 03



LIQUID REPELLENT



STAIN RESISTANT



SCRATCH RESISTANT



FIRE RESISTANT



RESISTANT TO UV RAYS



IMPACT RESISTANT



FROST RESISTANT



EUROPEAN OAKWOOD NATURA

Size : 600x1200mm

Finish : Matt

Random : 03




FLORENCE BEIGE

Size : 600x1200mm

Finish : Matt

Random : 05





FLORENCE GRIS

Size : 600x1200mm

Finish : Matt

Random : 05









GENOA BEIGE

Size : 600x1200mm

Finish : Matt

Random : 03






GENOA BIANCO

Size : 600x1200mm

Finish : Matt

Random : 03



LIQUID
REPELLENT



STAIN
RESISTANT



SCRATCH
RESISTANT



FIRE
RESISTANT



RESISTANT
TO UV RAYS




IMPACT
RESISTANT



FROST
RESISTANT

GENOA FOSSIL



LIQUID
REPELLENT



STAIN
RESISTANT



SCRATCH
RESISTANT



FIRE
RESISTANT



RESISTANT
TO UV RAYS



IMPACT
RESISTANT





FROST
RESISTANT

GENOA GRAFITO

Size : 600x1200mm

Finish : Matt

Random : 03



GENOA SAND

Size : 600x1200mm

Finish : Matt

Random : 03



LIQUID
REPELLENT



STAIN
RESISTANT



SCRATCH
RESISTANT



FIRE
RESISTANT



RESISTANT
TO UV RAYS



IMPACT
RESISTANT



FROST
RESISTANT



HAZELNUT WENGUE

Size : 600x1200mm

Finish : Matt

Random : 03



LIQUID REPELLENT



STAIN RESISTANT



SCRATCH RESISTANT



FIRE RESISTANT



RESISTANT TO UV RAYS



IMPACT RESISTANT



FROST RESISTANT




MAHOGANYWOOD BROWN

Size : 600x1200mm

Finish : Matt

Random : 05



LIQUID REPELLENT



STAIN RESISTANT



SCRATCH RESISTANT



FIRE RESISTANT



RESISTANT TO UV RAYS



IMPACT RESISTANT



FROST RESISTANT



MAPLEWOOD BROWN

Size : 600x1200mm

Finish : Matt

Random : 03



-  LIQUID REPELLENT
-  STAIN RESISTANT
-  SCRATCH RESISTANT
-  FIRE RESISTANT
-  RESISTANT TO UV RAYS
-  IMPACT RESISTANT
-  FROST RESISTANT




MERLIN GRIS

Size : 600x1200mm

Finish : Matt

Random : 05



PINEWOOD BEIGE

Size : 600x1200mm

Finish : Matt

Random : 05



LIQUID REPELLENT



STAIN RESISTANT



SCRATCH RESISTANT



FIRE RESISTANT



RESISTANT TO UV RAYS



IMPACT RESISTANT



FROST RESISTANT




SIENA ANTHRACITE

Size : 600x1200mm

Finish : Matt

Random : 05



LIQUID
REPELLENT



STAIN
RESISTANT



SCRATCH
RESISTANT



FIRE
RESISTANT



RESISTANT
TO UV RAYS



IMPACT
RESISTANT



FROST
RESISTANT





SIENA CREMA

Size : 600x1200mm

Finish : Matt

Random : 05



SIENA CHOCO






SIENA GRIS

Size : 600x1200mm

Finish : Matt

Random : 05



SIENA ANTHRACITE




SIENA MUDDY

Size : 600x1200mm

Finish : Matt

Random : 05



LIQUID REPELLENT



STAIN RESISTANT



SCRATCH RESISTANT



FIRE RESISTANT



RESISTANT TO UV RAYS



IMPACT RESISTANT



FROST RESISTANT



TOUCHWOOD BROWN

Size : 600x1200mm

Finish : Matt

Random : 04



-  LIQUID REPELLENT
-  STAIN RESISTANT
-  SCRATCH RESISTANT
-  FIRE RESISTANT
-  RESISTANT TO UV RAYS
-  IMPACT RESISTANT
-  FROST RESISTANT



TRAVERA CREMA



Finish
MATT

Size
**600 X
1200 mm**



Random : 3



MATT
SERIES

VICENZA GRIS

Size : 600x1200mm

Finish : Matt

Random : 04




WALNUT WOOD BROWN

Size : 600x1200mm

Finish : Matt

Random : 04



LIQUID REPELLENT



STAIN RESISTANT



SCRATCH RESISTANT



FIRE RESISTANT



RESISTANT TO UV RAYS



IMPACT RESISTANT



FROST RESISTANT




WALNUT WOOD OLIVE

Size : 600x1200mm

Finish : Matt

Random : 04



LIQUID REPELLENT



STAIN RESISTANT



SCRATCH RESISTANT



FIRE RESISTANT



RESISTANT TO UV RAYS



IMPACT RESISTANT



FROST RESISTANT




WHITE OAK

Size : 600x1200mm

Finish : Matt

Random : 04




WOOD DECOR WENGUE

Size : 600x1200mm

Finish : Matt

Random : 05



GLAZED VITRIFIED TILES

600x1200 mm

TECHNICAL SPECIFICATION FOR 600x1200MM GVT TILES				
Characteristics	Requirement as per IS 15622 : 2017 < E ≤ 0.08 Group Bla	Requirement as per ISO 13006 ≤ 0.5% Group Bla	Our Values	Test Method
A) Dimension & Surface Quality				
I) Length & Width	± 0.1%	± 0.3%	± 0.1%	IS 13630 Part 1/ ISO 10545-2
ii) Thickness	± 5.0%	± 5.0%	± 4.0%	
iii) Straightness of Side	± 0.1%	± 0.3%	± 0.1%	
iv) Rectengularity	± 0.1%	± 0.3%	± 0.1%	
v) Surface Flatness				
a) Center curvature (%) (max.Deviation)	± 0.5%	± 0.4%	± 0.2 %	
b) Edge curvature (%) (max.Deviation)	± 0.5%	± 0.4%	± 0.2 %	
c) Corner warpage (%) (max.Deviation)	± 0.5%	± 0.4%	± 0.2 %	
vi) Surface Quality	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects	
B) Physical Properties				
I) Water Absorption	Av E ≤ 0.08 %, Individual 0.1 max	Av ≤ 0.5 %, Individual 0.6% max	Avg. E≤ 0.08 %	IS 13630 Part 2/ ISO 10545-3
ii) Modulus of Rupture [N/mm²]	Av 35, Individual 32 min	Av 35, Individual 32 min	Avg, 35 Ind 32	IS 13630 Part 6/ISO 10545-4
iii) Breaking Strength in N	Min. 1300	Min. 1300	Min. 1300	
iv) Moisture Expansion in mm/m	0.02	Test Method Available	0.02	IS 13630 Part 3/ISO-10545-10
v) Scratch Hardness of surface (Mohs)	Min 5	N/A	Min.5 (for VC & RT), Min.3 (for Polished)	IS 13630 Part 13
vi) Resistance to Abrasion of glazed tiles(Class I to V)	Min II	Abrasion Class & Cycle passed	Class-V (for VC & RT), Class-III (for Polished)	IS 13630 Part 11 /ISO 10545-7
vii) Coefficient of linear thermal expansion from embiant temperature to 100° C	6 X 10 ⁻⁶ K ⁻¹ Max	Test Method Available	Max 6 X 10 ⁻⁶ K ⁻¹ max	IS 13630 Part 4/ ISO 10545-8
viii) Thermal Shock Resistance	10 cycle min	Test Method Available	10 cycle passed	IS 13630 Part 5/ISO-10545-9
ix) Crazing Resistance	4 cycle @ 7.5bar min	Required	4 cycle passed	IS 13630 Part 9/ISO 10545-11
x) Impact Resistance as Co-efficient of Re stitution	0.55 min	Required	Min 0.55	ISO 10545-5
xi) Frost Resistance	Required	Required	100 Cycle Passed	IS 13630 Part 10/ISO 10545-12
C) Chemical Resistance (glazed Tiles)				
I) Stain Resistance	Min Class 1	Min Class 3	Min Class-1	IS 13630 Part 8 &ISO 10545-14
ii) Resistance to household chemicals	Min Class AA	Min Class GB	Min Class AA	IS 13630 Part 8/ ISO 10545-13
iii) Resistance to acids and alkalis (with exception of hydrofluoric acid and its compounds)	Required if agreed	Declared Value ¹	Min Class AA	

PACKING DETAIL FOR 600x1200MM GVT TILES				
Nominal Size	Thickness(mm)	Average weight per carton (Kgs)	No. of tiles per carton	Coverage area per carton
600x1200mm	9.0 (Approx)	28.00 (Approx)	2	1.44sq.mtr./15.50sq.ft.

The reproduction of tiles in this catalogue is restricted to four color printing only and tiles are not in relative sizes, therefore customers are advised to see the physical sample before placing the order. " Technical Specification" for Arkstone wall & floor tiles are applicable only for premium quality tiles. Please inspect all tiles prior to installation. Company will not entertain complaints once tiles are laid/fixed. Complaints will not be entertained for Borders, Highlighters & Motifs.

THANK YOU