

80X  
160 CM

**MAT**  
Series



EARTH


## Elements of Nature Are Caught Together.

A very contemporary collection for those who are not afraid to dare. A surface has a refined matt finish. It recalls the urban and material character of brushed matte concrete laid by hand.




WATER


ESSENCE  
OF MATT



A plan for arranging elements in such a way as best to accomplish a particular purpose. Design is also the creation of an experience. It's also the process of the said creation and how well it's organized.

# WINDOW





SHAPE INTERIOR

MATT


80x160 cm

DESIGN  
&  
INNOV-  
ATION



A contemporary style, fine lines, and iconic character will give your space a refined and chic touch.

SIZE: 80X160 CM



LOIRA BEIGE



RANDOM: 04



FINISH: MATT


LOIRA BEIGE



MATT SERIES

THE DESIGNS YOU WILL CRAVE FOR MATT.

SIZE: 80X160 CM



Designs to make You fall in love.

LOIRA BIANCO



RANDOM: 04

FINISH: MATT

LOIRA BIANCO




MATT SERIES

THE DESIGNS YOU WILL CRAVE FOR MATT.



SIZE: 80X160 CM



Designs to make You fall in love.

LOIRA BROWN




RANDOM: 04

FINISH: MATT



SIZE: 80X160 CM



LOIRA GREY




RANDOM: 04

FINISH: MATT



SIZE: 80X160 CM



LOIRA GRIS



RANDOM: 04

FINISH: MATT


LOIRA GRIS



MATT SERIES

THE DESIGNS YOU WILL CRAVE FOR MATT.

SIZE: 80X160 CM



Designs to make You fall in love.

LOIRA NERO



RANDOM: 04

FINISH: MATT

LOIRA NERO




MATT SERIES

THE DESIGNS YOU WILL CRAVE FOR MATT.



SIZE: 80X160 CM



LOIRA TAUPE



RANDOM: 04



Designs to make You fall in love.

FINISH: MATT

LOIRA TAUPE



MATT SERIES

THE DESIGNS YOU WILL CRAVE FOR MATT.

# Technical Specification

CHARACTERISTICS	STANDARD AS PER ISO-13006/En14411 GROUP	VALUES	TEST METHOD
<b>REGULATORY PROPERTIES</b>			
Deviation in Lenth & Width	0.50%	0.20%	ISO - 10545-2
Deviation in Thickness	0.50%	0.50%	ISO - 10545-2
Straightness of Sides	0.50%	0.20%	ISO - 10545-2
Rectangularity	0.50%	0.20%	ISO - 10545-2
Surface Flatness	0.50%	0.20%	ISO - 10545-2
Color Difference	Unaltered	No Change	ISO - 10545-16
Glossiness	As per Mfg.	>90%	Glossmeter
<b>STRUCTURAL PROPERTIES</b>			
Water Absorption	<0.05%	<0.05%	ISO - 10545-3
Apparent Density	>2.00 g/cc	>2.10 g/cc	DIN 51082
<b>MASSIVE MECHANICAL PROPERTIES</b>			
Modulus of Repture	Min 35N/MM2	Min 40N/MM2	ISO - 10545-4
Breaking Strength	Min. 1300 N	Min. 2000 N	ISO - 10545-4
Impact Resistance	As per Mfg.	Min. 0.55	ISO - 10545-5
<b>SURFACE MECHANICAL PROPERTIES</b>			
Surface Abrasion Resistance	As per Mfg.	Min. class 3	ISO - 10545-7
Moh's Hardness	As per Mfg.	Min. class 4	EN 101
<b>THERMO HYGROMETRIC PROPERTIES</b>			
Frost Resistance	No Damage	No Damage	ISO - 10545-12
Thermal Shock Resistance	No Damage	No Damage	ISO - 10545-09
Moisture Expansion	Nil	Nil	ISO - 10545-10
Thermal Expansion	Max 9.0x10 <sup>-6</sup>	Max 6.5x10 <sup>-6</sup>	ISO - 10545-08
Crazing Resistance	As per Mfg.	Min 10 Cycle	ISO - 10545-11
<b>CHEMICAL PROPERTIES</b>			
Chemical Resistance	No Damage	No Damage	ISO - 10545-13
Stain Resistance	Resistant	Resistant	ISO - 10545-14
<b>SAFETY PROPERTIES</b>			
Slip Resistance	As per Mfg.	>0.40	ISO - 10545-17
Fire Resistance	As per Mfg.	Fire Proof	N.A.

## Packing Detail

SIZE (in mm)	THICKNESS APPROX	PIECES / PER BOX	COVERAGE AREA IN SQ. FT	BOX WEIGHT ( APPROX. )
800X1600	9 MM	2	27.55	52 KG